



Behavioral Risk Factor Surveillance by Race and Ethnicity, 2002

	Diabetes	Tobacco Use	Overweight (BMI ≥25 to 29.99)	Obese (BMI≥30)	Acute Alcohol Risk	No Health Insurance	Chronic Alcohol Risk
Bexar County Non Hispanic White	4.8%	26.6%	32.2%	21.0%	22.9%	15.8%	5.2%
Bexar County Hispanic	10.1%	23.1%	33.7%	44.5%	22.6%	36.2%	5.2%
Texas Non Hispanic White	6.5%	25.2%	35.6%	24.2%	18.8%	15.9%	8.0%
Texas Hispanic	6.7%	18.9%	38.4%	31.9%	18.8%	51.5%	5.9%
Texas Black	10.9%	21.9%	33.0%	43.2%	9.9%	26.7%	4.6%

Bexar County Behavioral Risk Factor Surveillance by Race and Ethnicity, 2002



Texas Behavioral Risk Factor Surveillance by Race and Ethnicity, 2002



Note: 2002 Behavioral Risk Factor Surveillance Survey (BRFSS) included 359 randomly selected Bexar county residents.

Note: There were insufficient responses from the Black population in Bexar County to reliably estimate risk factors for 2002.

Note: Acute alcohol risk = 5 or more drinks on an occasion in the past 30 days.

Note: Chronic alcohol risk = 60 or more alcoholic drinks in the past 30 days.

Note: All reported rates (%) are weighted for Texas demographics and the probability of selection and thus are not derived from the simple division of numerator and denominator cases.

Source: Behavioral Risk Factor Surveillance System, 2002.

Prepared by:

Community Assessment Team

Center for Health Statistics

Texas Department of Health

June 10, 2003

Jimmy.Blanton@tdh.state.tx.us